

Bibliography

- [1]Wang Wen, “Introductory chapter: What is chemical sensor?” in *Progresses in Chemical Sensor*, Wang Wen, *IntechOpen*, Aug. 2016.
- [2]P.K. Guha, S. Santra and J.W. Gardener, “Integrated complementary metal oxide semiconductor-based sensors for gas and odour detection”, in *Semiconductor Gas Sensors*, R. Jaaniso and O. K. Tan, Eds. chap. 15, 2013, pp. 491-509.
- [3]Rama Krishna Chava,” Hydrogen gas-sensing application of Au@In₂O₃ core-shell hybrid nanoparticles” in *Noble Metal-Metal Oxide Hybrid Nanoparticles*, S. Mohapatra, T. Anh Nguyen and P. Nguyen-Tri, Eds. chap. 23, Jan. 2019, pp. 499-516.
- [4]K. Arshak, E. Moore, G.M. Lyons, “A review of gas sensors employed in electronic nose applications”, *Sensor Review*, vol. 24, iss. 2, Jun. 2004.
- [5]T. Chou, S. Chiu and K. Tang, “ A CMOS compatible miniature gas sensing system”, in *Chemical, Gas, and Biosensors for Internet of Things and Related Applications*, K. Mitsubayashi, O. Niwa and Y. Ueno, Eds. chap. 16, Jan. 2019, pp. 237-252.
- [6]Downloaded from <http://www.figaro.co.jp/en/technicalinfo/principle/electrochemical-type.html> on 10th April, 2020.
- [7]I. Cretescu, D. Lutic, L.R. Manea, “Electrochemical sensors for monitoring of indoor and outdoor air pollution”, in *Electrochemical Sensors Technology*, Mohammed Muzibur Rahman and Abdullah Mohamed Asiri, Eds., *IntechOpen*, 2017.
- [8]Z. Yunusa, MN Hamidon, A. Kaiser et al., “Gas sensors: A review”, *Sensors and Transducers* 168(4), Apr. 2014, pp. 61-75.
- [9]Downloaded from <https://www.gdscorp.com/electrochemical-sensors-2/the-pros-and-cons-of-electrochemical-sensors/> on 10th April, 2020.
- [10] X. Liu, S. Cheng, H. Liu et al., “Review – A survey on gas sensing technology”, *Sensors* 2012, 12, 9635-9665.
- [11] X. Gao, T. Zhang, “An overview: Facet-dependent metal oxide semiconductor gas sensors”, *Sens. Actuators B, Chem.*, vol. 277, Dec. 2018, pp. 604-633.
- [12] D. Briand, B. van der Schoot, N. F. de Rooij et al., "A low-power micromachined MOSFET gas sensor," in *Journal of Microelectromechanical Systems*, vol. 9, no. 3, Sept. 2000, pp. 303-308.
- [13] R. Bogue, “Detecting gases with light: A review of optical gas sensor technologies”, *Sensor Review* 35(2):133-140, Mar. 2015.

- [14] J. Wojtas, J. Mikolajczyk and Z. Bielecki, "Aspects of the Application of Cavity Enhanced Spectroscopy to Nitrogen Oxides Detection", *Sensors* 2013, 13, 7570-7598.
- [15] P. Kubersky, J. Altsmid, A. Hamacek et al., "An Electrochemical NO₂ Sensor Based on Ionic Liquid: Influence of the Morphology of the Polymer Electrolyte on Sensor Sensitivity", *Sensors* 2015, 15, 28421-28434.
- [16] S. Han, J. Cheng. H. Fan, J. Yu et al., "Achievement of high-response organic field-effect transistor NO₂ sensor using the synergistic effect of ZnO/PMMA hybrid dielectric and CuPc/Pentacene heterojunction", *Sensors* 16:1763, Oct. 2016.
- [17] Y. Jian, W. Hu, Z. Zhao et al., "Gas sensors based on chemi-resistive hybrid functional nanomaterials", *Nano-Micro Lett.* 12, 71 (2020).
- [18] C.K. Chiang, C.R. Fincher, Y.W. Park et al., "Electrical conductivity in doped polyacetylene", *Physics Review Letter*, vol. 39, iss. 17, Oct. 1977, pp 1472-1483.
- [19] S.J. Park, C. S. Park and H. Yoon, "Chemo-electrical gas sensors based on conducting polymer hybrids", *Polymers (Basel)* 2017 May; 9(5):155.
- [20] H. Bai and G. Shi, "Gas Sensors Based on Conducting Polymers", *Sensors (Basel)*, Mar. 2007, 7(3): 267–307.
- [21] T. Le, Y. Kim and H. Yoon, "Electrical and electrochemical properties of conducting polymers", *Polymers (Basel)* 2017 Apr; 9(4): 150.
- [22] P. Chandrasekhar, "Solubility and Processing of CPs", in *Conducting Polymers, Fundamentals and Applications*, Springer, Boston, MA, 1999.
- [23] M. Hamzah, M. Harun and E. Saion, "Conjugated conducting polymers: a brief overview", *UCSI Academic Journal*, 2007.
- [24] I. Y. Sapurina and M. A. Shishov, "Oxidative polymerization of aniline: Molecular synthesis of polyaniline and the formation of supramolecular structures," in *New polymers for special applications*, Aliton de Souza Gomes, Ed. Intech, Appl., chap. 9, Sep. 2012.
- [25] E. V. Hauff, "Field Effect Investigations of Charge Carrier Transport in Organic Semiconductors", *Ph.D. dissertation, University of Oldenburg, Germany*, 2006.
- [26] Y. Zhang, B.D. Boe and P.W.M. Blom, "Controllable molecular doping and charge transport in solution-processed polymer semiconducting layers", *Advanced Functional Materials*, vol. 19, iss. 12, Jun. 2009.
- [27] N. L. Torad and M. M. Ayad, "Gas Sensors Based on Conducting Polymers", in *Gas Sensors*, S. B. Khan, A. M. Asiri and K. Akhtar, Eds. *IntechOpen*, Nov. 2019.

- [28] M.A. Chougule, D. Dalavi, S.S. Mali et al., “Novel method for fabrication of room temperature polypyrrole–ZnO nanocomposite NO₂ sensor”, *Measurement* 45(8): 1989-1996, Oct. 2012.
- [29] Amir Mostafaeia and Ashkan Zolriasatein, “Synthesis and characterization of conducting polyaniline nanocomposites containing ZnO nanorods”, *Progress in Natural Science: Materials International*, vol. 22, iss. 4, Aug. 2012, pp. 273-280.
- [30] S. H. Nimkar, S. B. Kondawar and P. S. More, “Polyaniline/TiO₂ thin film based Carbon Dioxide gas sensor”, *International Journal of researches in Biosciences, Agriculture and Technology*, Special Issue (2), Feb. 2015.
- [31] J. B. Veluru, Satheesh K. K., D.D. Trivedi et al., “Electrical Properties of Electrospun Fibers of PANI/PMMA Composites”, *Journal of Engineered Fibres and Fabrics* 2(2), Jul. 2007.
- [32] S.G. Pawar, S.L. Patil, R. Godase et al., “New Method for Fabrication of CSA Doped PANi-TiO₂ Thin-Film Ammonia Sensor”, *IEEE Sensors Journal*, vol. 11, no. 11, Nov. 2011.
- [33] R. Sonkar and B.C.Yadav, “Development of PANi-Fe₂O₃ nanocomposite thin film based NO₂ sensor”, *Journal of the Taiwan Institute of Chemical Engineers*, vol. 77, Aug. 2017, pp. 276-281.
- [34] B. Zhao, J. Zhuang, M.A.C. Serrano et al., “Influence of Charge Density on Host–Guest Interactions within Amphiphilic Polymer Assemblies in Apolar Media”, *Macromolecules* 50, 24, Dec. 2017, pp. 9734–9741.
- [35] A. Zoshki, M.B. Rahmani, F. Masdarolomoor et al., “Room temperature gas sensing properties of Polyaniline/ZnO nanocomposite”, *Journal of Nanoelectronics and Optoelectronics*, vol. 12, no. 5, May 2017, pp. 465-471(7).
- [36] Y. Zhang, W. Chu, A.D. Foroushani et al., “Review – New gold nanostructures for sensor applications”, *Materials* 2014, 7, 5169-5201.
- [37] Z. He, Z. Zhang and S. Bi, “Nanoparticles for organic electronics applications”, *Materials Research Express*, vol. 7, no. 1, Jan. 2020.
- [38] D.W. Hatchett and M. Josowicz, “Composites of intrinsically conducting polymers as sensing nanomaterials”, *Chemical Reviews*, Jul. 2007.
- [39] D. Kimm, “Electronic materials with a wide band gap: recent developments”, *IUCrJ*. Sep. 2014; 1(Pt 5): 281–290.
- [40] J. W. Jeong, H. S. Hwang, D. Choi et al., “Hybrid polymer/metal oxide thin films for high performance, flexible transistors”, *Micromachines (Basel)*, 11(3): 264, Mar. 2020.

- [41] A. Krishnaprasanth, M. Seetha, "Solvent free synthesis of Ta₂O₅ nanoparticles and their photocatalytic properties", *AIP Advances* 8, 055017 (2017).
- [42] G. Bersuker and D.C Gilmer, "Metal oxide resistive random access memory (RRAM) technology", *Advances in Non-Volatile Memory and Storage Technology*, pp. 288-340, 2014.
- [43] D. N. Huyen, N.T. Tunh, N. D. Thien et al., "Effect of TiO₂ on the Gas Sensing Features of TiO₂/PANi Nanocomposites", *Sensors (Basel)* 2011, 11(2): 1924-1931.
- [44] A. S. Roy, A. Parveen, A. Prasad et al., "Influence of Ta₂O₅ on Polyaniline surface for liquid petroleum gas sensing applications", *Sensor Review*, vol. 32, no. 2, pp. 163-169, 2012.
- [45] A. Sharma, M. Tomar, V. Gupta et al., "Polyaniline/SnO₂ nanocomposite sensor for NO₂ gas sensing at low operating temperature", *International Journal of Nanoscience* 14(4):150128231730007, Jan. 2015.
- [46] C. Chaneliere, J.L. Autran, R.A.B. Devine, B. Balland, "Tantalum pentoxide (Ta₂O₅) thin films for advanced dielectric applications", *Materials Science and Engineering*, vol. 22, iss. 6, May 1998, pp. 269-322.
- [47] T. Becker, S. Muhlberger, C. B.V. Braunmuhl et al., "Air pollution monitoring using tin oxide based micro reactor systems," *Sens. Actuators B, Chem.*, Vol. 69, No. 1–2, pp. 108–119, 2000.
- [48] M. Hijri, M. S. Aida, and G. Neri, "NO₂ selective sensor based on α-Fe₂O₃ nanoparticles synthesized via hydrothermal technique," *Sensors (Basel)*, vol. 19, no. 1, p. 167, 2019.
- [49] P. J. D. Peterson et al., "Practical use of metal oxide semiconductor gas sensors for measuring nitrogen dioxide and Ozone in urban environments," *Sensors*, vol. 17, no. 7, p. 1653, 2017.
- [50] R.N. Bulakhe, V. Patil, P.R. Desmukh, N.M. Shinde, C.D. Lokhande, "Fabrication and performance of polypyrrole (Ppy/TiO₂) heterojunction for room temperature operated LPG sensor", *Sensors and Actuators B: Chemical*, vol. 181, 417-423, May 2013.
- [51] Y. Li, J. Gong, G. He, Y. Deng, "Fabrication of polyaniline/titanium dioxide composite nanofibers for gas sensing application", *Materials Chemistry and Physics*, 129(1): 477-482, Sept. 2011.
- [52] K. Jian, C. Chang, J. J. Wu et al., "High Response CO Sensor Based on a Polyaniline/SnO₂ Nanocomposite", *Polymers* 2019, 11(1).

- [53] S.B. Kulkarni, Y.H. Navale, S.T. Navale et al., “Hybrid polyaniline-WO₃ flexible sensor: A room temperature competence towards NH₃ gas”, *Sensors and Actuators B: Chemical*, vol. 288, June 2019, pp. 279-288.
- [54] V. Kruefu, A. Wisitsoraat, A. Tuantranonit et al., “Gas sensing properties of conducting polymer/Au-loaded ZnO nanoparticle composite materials at room temperature”, *Nanoscale Research Letters*, 9(1):467, Sept. 2014.
- [55] X. Guo, Y. Kang, T. Yang, S. Wang, “Low temperature NO₂ sensors based on polythiophene/WO₃ organic-inorganic hybrids”, *Transactions of Nonferrous Metals Society of China*, vol. 22, 2012.
- [56] R.K. Sonker, B.C. Yadav, A. Sharma et al., “Experimental investigations on NO₂ sensing of pure ZnO and PANI-ZnO composite thin films”, *RSC Advances* 6(61), Jan. 2016.
- [57] K. Zheng, L. Gu, D. Sun et al., “The properties of ethanol gas sensor based on Ti doped ZnO nanotetrapods,” *Mater. Sci. Eng. B.*, vol. 166, pp. 104–107, 2010.
- [58] A.T. Mane, S.T. Navale, V.B. Patil, “Room temperature NO₂ gas sensing properties of DBSA doped Ppy-WO₃ hybrid nanocomposite sensor”, *Organic Electronics*, vol. 19, 2015, pp. 15-25.
- [59] N. Karmakar, R. Fernandes, Shilpa Jain et al., “Room temperature NO₂ gas sensing properties of p-toluenesulfonic acid doped silver-polypyrrole nanocomposite”, *Sensors and Actuators B: Chemical*, vol. 242, Apr. 2017, pp. 118-126.
- [60] S.T. Navale, G.D. Khuspe, M.A. Chougule et al., “CSA doped Ppy/∞-Fe₂O₃ hybrid nanocomposites as NO₂ sensors”, *RSC Advances*, iss. 53, 2014.
- [61] B.T. Raut, M.A. Chougule, S.R. Nalage et al., “CSA doped polyaniline/CdS organic–inorganic nanohybrid: Physical and gas sensing properties”, *Ceramics International* 38(7):5501–5506, Sept. 2012.
- [62] A. Bahramian, “Molecular dynamics simulation of surface morphology and thermodynamic properties of polyaniline nanostructured film”, Research Article, *Wiley Online Library*, 2014.
- [63] A.G. MacDiarmid, “Synthetic metals: a novel role for organic polymers”, *Nobel Lectures*, vol. 40, iss. 14, Jul. 2001, pp. 2581-2590.
- [64] S. Bhadra, D. Khastgir, N. Singha et al., “Progress in preparation, processing and applications of polyaniline”, *Progress in Polymer Science* 34(8), Aug. 2009, pp. 783–810.

- [65] C.O. Baker, X. Huang, W. Nelson et al., "Polyaniline nanofibers: broadening applications for conducting polymers", *Chemical Society Reviews*, iss. 5, 2017, pp. 1510–1525.
- [66] X. Yan, Z.J. Han, Y. Yang et al., "NO₂ gas sensing with polyaniline nanofibres synthesized by a facile aqueous/organic interfacial polymerization", *Sensors and Actuators B: Chemical*, vol.123, 2007, pp. 107-113.
- [67] M.L. Rozemarie, B. Andrei, H. Liliana et al., "Electrospun Based Polyaniline Sensors – A Review", *IOP Conf., Material Science and Engineering*, 2017.
- [68] G.D. Khuspe, D.K. Bandgar, S. Sen et al., "Fuzzy nanofibrous network of polyaniline (PANi) for NH₃ detection", *Synthetic Metals*, vol.162, iss. 21-22, 2012, pp. 1822-27.
- [69] A.G. Sonkusare, S.Tyagi, R. Kumar et al., "Room temperature ammonia gas sensing using polyaniline nanoparticles based sensor", *International Journal of Materials Science*, vol. 12, no. 2(2017), pp. 283-291.
- [70] A.A. Athawale, S.V. Bhagat. P.P Katre, "Nanocomposite of Pd-Polyaniline as a selective methanol sensor", *Sensors and Actuators B: Chemical*, vol. 114, Iss. 1, 2006, pp. 263-267.
- [71] A. Kolmakov, Y. Zhang, G. Cheng et al., "Detection of CO and O₂ using tin oxide nanowire sensors", *Advanced Materials* 15 (12), Jun. 2003, pp. 997-1000.
- [72] C. Zhu, X. Cheng, X. Dong et al., "Enhanced sub-ppm NH₃ gas sensing performance of PANI/TiO₂ nanocomposites at room temperature", *Frontiers in Chemistry*, 6:493, Oct 2018.
- [73] S. Cui, J. Wang, X. Wang, "Fabrication and design of a toxic gas sensor based on polyaniline/titanium dioxide nanocomposite film by layer-by-layer self assembly", *RSC Advances*, iss. 72, 2015.
- [74] A. Kaushik, R. Khan, V. Gupta et al., "Hybrid cross-linked polyaniline-WO₃ nanocomposite thin film for NO(x) gas sensing", *Journal of Nanoscience and Nanotechnology*, 9(3) : 1792-6, 2009.
- [75] B. B. Patowary, S. Laskar, R. Narzary and A. Mondal, "Synthesis, Characterization, and Study of NO₂ Gas Sensing Behavior of CSA Doped PANi-Ta₂O₅ Nanocomposite," in *IEEE Sensors Journal*, vol. 20, no. 7, pp. 3429-3441, Apr., 2020.
- [76] S. Pandey, "Highly sensitive and selective chemiresistor gas/vapour sensors based on polyaniline nanocomposite: A comprehensive review", *Journal of Science: Advanced Materials and Devices*, vol. 1, iss. 4, Dec. 2016, pp. 431-453.

- [77] V. G. Bairi et al., "Ammonia gas sensing behaviour of Tanninsulphonic acid doped Polyaniline-TiO₂ Composite", *Sensors* 2015, 15(10), pp. 26415-26429.
- [78] M.O. Ansari, F. Mohammad, "Thermal stability, electrical conductivity and ammonia sensing studies on p-toluenesulfonic acid doped polyaniline: titanium dioxide (pTSA/Pani:TiO₂) nanocomposites", *Sensors and Actuators B: Chemical*, 157(2011), pp. 122-129.
- [79] J. Kumar, Md. Sahabuddin, A. Singh et al., "Highly Sensitive Chemo-Resistive Ammonia Sensor Based on Dodecyl Benzene Sulfonic Acid Doped Polyaniline Thin Film", *Science of Advanced Materials*, vol. 7, no. 3, Mar. 2015, pp. 518-525(8).
- [80] M. A. Mazzeu, "Structural and Morphological Characteristics of Polyaniline Synthesized in Pilot Scale", *Journal of Aerospace Technology and Management* 9(1):39-47, 2017.
- [81] O. Ornek, B. Karlik, "An overview of metal oxide semiconducting in electronic nose applications", *Conference: Proc. of the 3rd International Symposium on Sustainable Development*, at: 506-515, vol. 2, May 2012.
- [82] Y. Sun, S. Liu, F. Meng, "Metal Oxide Nanostructures and Their Gas Sensing Properties: A Review", *Sensors* 2012, 12, 2610-2631.
- [83] T.C. Maponya, M.J. Hato T.R. Somo et al., "Polyaniline-Based Nanocomposites for Environmental Remediation", *IntechOpen*, Nov. 2019.
- [84] M. Kus, T. YilmazAlic, C. Kirbiyik et al., "Synthesis of Nanoparticles" in Handbook of nanomaterials for industrial applications, a volume in Micro and Nano Technologies, C. M. Hussain, Ed., chap. 24, 2018, pp. 392-429.
- [85] S. Bhadra, N.K. Singha, D. Khastgir, "Electrochemical synthesis of polyaniline and its comparison with chemically synthesized polyaniline", *Journal of Applied Polymer Science*, vol. 104, iss. 3, May 2007.
- [86] S. Bhandari, "Polyaniline", in *Polyaniline Blends, Composites, and Nanocomposites*, P.M. Visakh, C. D. Pina, E. Falletta, Eds., chap. 2, 2018, pp. 23-60.
- [87] E.T. Kang, K.G. Neoh, K.L.Tah, "Polyaniline: a polymer with many interesting intrinsic redox states", *Progress in Polymer Science*, vol. 23, iss, 2, 1998, pp. 277-324.
- [88] M.R. Saeb, P. Zarrintaj, "polyaniline/graphene-based nanocomposites", in *Fundamentals and Emerging Applications of Polyaniline*, M. Mozafari, N.P.S. Chauhan, Eds., chap. 10, 2019, pp. 165-175.

- [89] F. Ren, Y. Tan, "Polyaniline-based composites and Nanocomposites", in *Polyaniline Blends, Composites, and Nanocomposites*, P.M. Visakh, C. D. Pina, E. Falletta, Eds., chap.7, 2018, pp. 175-208.
- [90] J. Stejskal, R.G. Gilbert, "Polyaniline. Preparation of a conducting polymer", *Pure and Applied Chemistry* 74:8547-8867, Jan. 2002.
- [91] M.M. Ayad, N. Prastomo, A. Matsuda et al., "Synthesis and characterization of polyaniline-camphorsulphonic acid nanotube film", *Materials and Letters*, 64:379-382, 2010.
- [92] M.M. Ayad, N. Prastomo, J. Stejskal et al., "Sensing of silver ions by nanotubular polyaniline film deposited on quartz-crystal in a microbalance", *Synthetic Metals*, 160:42-46, 2010.
- [93] A.A. Shah, M. Kamran, S. Bilal et al., "Cost effective chemical oxidative synthesis of soluble and electroactive polyaniline salt and its applications as anticorrosive agent for steel", *Materials (Basel)*. 2019 May; 12(9): 1527.
- [94] A. Dan, P.K. Sengupta, "Synthesis and characterization of polyaniline prepared in formic acid medium", *Journal of Applied Polymer Science* 91(2):991 – 999, Jan. 2004.
- [95] T. Yonehara, K. Komaba, H. Goto, " Synthesis of polyaniline in seawater", *Polymers* 2020, 12(2), 375.
- [96] C.A. Amarnath, J. Kim, K. Kim et al., "Nanoflakes to nanorods and nanospheres transition of selenious acid doped polyaniline", *Polymer*, 49 (2008), pp. 432-437.
- [97] H.D. Tran, J.M. D'Arcy, Y. Wang et al., "The oxidation of aniline to produce "polyaniline": a process yielding many different nanoscale structures", *Journal of Materials Chemistry*, 21 (2011), pp. 3534-3550.
- [98] D. Nicola-debarnot, F. Poncin-Epaillard, "Polyaniline as a new sensitive layer for gas sensors", *Analytica Chimica Acta*, vol. 475, no. 1-2, 2003, pp. 1-15.
- [99] HJ. Tang, SY Lin, CC Yang et al., "Polymerization of aniline under various concentrations of APS and HCL", *Polymer Journal*, vol. 43, 2011, pp. 667-675.
- [100] E. Song, JW. Choi, "Conducting polyaniline nanowire and its applications in chemiresistive sensing", *Nanomaterials*, 3(3), Jul. 2013, pp. 498-523.
- [101] B.J. Inkson, "Scanning Electron Microscopy (SEM) and Transmission Electron Microscopy (TEM) for Materials Characterization", in *Materials Characterization Using Nondestructive Evaluation (NDE) Methods*, G. Hubschen et al., Eds., chap. 2, 2016, pp. 17-43.
- [102] Nicole Gleichmann, "SEM vs TEM", [Technologynetworks.com](https://www.technologynetworks.com), Feb. 2020.

- [103] J. Epp, “X-ray diffraction (XRD) techniques for materials characterization”, in *Materials Characterization Using Nondestructive Evaluation (NDE) Methods*, G. Hubschen et al., Eds., chap. 4, 2016, pp. 81-124.
- [104] Downloaded from www.uni-salzburg.at/fileadmin/oracle_file_imports/359201, “Basic UV-Vis Theory, Concepts and Applications”, *Thermo Spectronic*, on 10th May, 2020.
- [105] Downloaded from [https://chem.libretexts.org/Bookshelves/Physical_and_Theoretical_Chemistry_Textbook_Maps/Supplemental_Modules_\(Physical_and_Theoretical_Chemistry\)/Quantum_Mechanics/16%3A_Molecular_Spectroscopy](https://chem.libretexts.org/Bookshelves/Physical_and_Theoretical_Chemistry_Textbook_Maps/Supplemental_Modules_(Physical_and_Theoretical_Chemistry)/Quantum_Mechanics/16%3A_Molecular_Spectroscopy) on 10th May, 2020.
- [106] Downloaded from <https://www.chemguide.co.uk/analysis/uvvisible/theory.html> on 12th May, 2020.
- [107] Downloaded from <https://www.chem.hw.ac.uk> on 12th May, 2020.
- [108] Downloaded from <https://www.chem.uci.edu> on 13th May, 2020.
- [109] Y. Li, X. Jing, “Morphology control of chemically prepared polyaniline nanostructures: Effects of mass transfer”, *Reactive and Functional Polymers*, vol.69, iss. 11, 2009, pp. 797-807.
- [110] X.B. Yan, Z.J. Han, Y. Yang, “NO₂ gas sensing with polyaniline nanofibres synthesized by a facile aqueous/organic interfacial polymerization”, *Sens. Actuators B, Chem.*, vol. 123, iss. 1, Apr. 2007, pp. 107–113.
- [111] R. Kumar, O. Aldossary, G. Kumar et al., “Zinc Oxide Nanostructures for NO₂ Gas–Sensor Applications: A Review”, *Nano-Micro Lett.* (2015) 7(2):97–120.
- [112] Downloaded from <https://www.thermofisher.com/in/en/home/materials-science/learning-center/applications/sem-tem-difference.html> on 15th May, 2020.
- [113] C. Xiang, Y. Zou, L. Zheng, “Ammonia sensor based polypyrrol-graphene nanocomposite decorated with titania nanoparticles”, *Ceramics International*, 2015.
- [114] S.A.M. Al-Bathi, “Electrodeposition of nanostructure materials”, in *electroplating of nanostructures*, M. Aliofkhazraei, Ed., Intechopen, Aug. 2015.
- [115] P.N. Barlett, P.B.M Archer and S.K. Ling-Chung, “Conducting polymer gas sensors part I: fabrication and characterization”, *Sens. Actuators B, Chem.*, vol. 19, iss. 2, Aug. 1989, pp. 125-140.
- [116] D. Kim, B. Yoo, “A novel electropolymerization method for Ppy nanowire-based NH₃ gas sensor with low contact resistance”, *Sens. Actuators B, Chem.*, vol. 160, Dec. 2011, pp. 1168-1173.
- [117] D.C. Tiwari, R. Sharma, K.D. Vyas et al., “Electrochemical incorporation of copper

- phthalocyanine in conducting polypyrrole for the sensing of DMMP”, *Sens. Actuators B, Chem.*, vol. 151, iss.1, Nov. 2010, pp. 256-264.
- [118] J. Reemts, J. Parisi and D. Schlettwein, “Electrochemical growth of gas-sensitive polyaniline thin films across an insulating gap”, *Thin Solid Films* 466(1-2), Nov. 2004, pp. 320–325.
- [119] R. Gangopadhyay, A. De, “Conducting polymer composites: novel materials for gas sensing”, *Sens. Actuators B, Chem.*, vol. 77, iss. 1-2, Jun. 2001, pp. 326-329.
- [120] Q. Fang, D.G. Chetwynd, J.A. Covington et al., “Micro-gas-sensor with conducting polymers”, *Sens. Actuators B, Chem.*, vol. 84, pp. 66–71, 2002.
- [121] K. Kakaei, M.D. Esrafil and A. Ehsani, “Graphene and anticorrosive properties”, in *Interface Science and Technology*, G.Z. Kyzas, A.C. Mitropoulos, Eds., chap.8, vol. 27, 2019, pp. 307-337.
- [122] S. Arulmani, S. Anandam and M. Ashokkumar, “Introduction to advanced nanomaterials”, in *Nanomaterial for Green Energy*, B.A. Bhanvase, V.B. Pawade, S.J. Dhobe, Eds., chap. 1, 2018, pp. 1-53.
- [123] Downloaded from <https://www.ossila.com/pages/dip-coating-theory-film-thickness> on 25th May, 2020.
- [124] S. Bera, G. Udayabhanu, R. Narayan et al., “Methodologies of Application of Sol-Gel Based Solution onto Substrate: A Review”, *Journal of Coating Science and Technology*, May 2016, pp. 9-22.
- [125] Y. Yang, X. Yang, W. Yang et al., “Porous conducting polymer and reduced grapheme oxide nanocomposites for room temperature gas detection”, *RSC advances*, iss. 80, 2014.
- [126] C. Piloto, F. Mirri, B. Francesca, E.A. Bengio et al., “Room temperature gas sensing properties of ultrathin carbon nanotube films by surfactant-free dip coating”, *Sens. Actuators B, Chem.*, vol. 227, Nov. 2016, pp. 128-134.
- [127] S.K. Sahu, B. Manoharan and N. Sivakumar, “Introduction: why perovskite and perovskite solar cells”, in *Perovskite Photovoltaics- Basic to Advanced Concepts and Implementation*, S. Thomas, A. Thankappan, Eds., chap. 1, Academic Press, Jun. 2018.
- [128] A. Mishra, N. Bhatt and A.K. Bajpai, “Nanostructured superhydrophobic coatings for solar panel applications”, in *Nanomaterials-Based Coatings: Fundamentals and Applications*, P. N. Tri, S. Rtimi and C. M. O. Plamondon, Eds., chap. 12, 2019, pp. 397-424.
- [129] NT Nguyen, “Micromixers- Fundamental, Design and Fabrication”, 2nd edition, 2012.

- [130] B.S. Yilbas, A. Al-Sharafi and H. Ali, "Surfaces for self cleaning", in *Self-cleaning of Surfaces and Water Droplet Mobility*, chap. 3, 2019, pp. 45-98.
- [131] Downloaded from <https://www.nanoscience.com/techniques/langmuir-films/> on 27th May, 2020.
- [132] Downloaded from http://soft-matter.seas.harvard.edu/peter-foster_fall_2011/ on 27th May, 2020.
- [133] S. Malik, C.C. Tripathi, "Thin Film Deposition by Langmuir Blodgett Technique for Gas Sensing Applications", *Journal of Surface Engineered Materials and Advanced Technology* 03(03):235-241, January 2013.
- [134] M.M. Velazquez, T. Alejo, D. Lopez-Diaz et al., "Langmuir-Blodgett Methodology: A Versatile Technique to Build 2D Material Films" in *Two-dimensional Materials - Synthesis, Characterization and Potential Applications*, P.K. Nayak, Ed., chap. 2, Intech, Aug. 2016.
- [135] N.E. Agbor, J.P. Cresswell, M.C. Petty et al., "An optical gas sensor based on polyaniline Langmuir-Blodgett films", *Sens. Actuators B, Chem.*, vol. 41, iss. 1-3, Jun. 1997, pp. 137-141.
- [136] S. Choudhury, C.A. Betty, K. Bhattacharyya et al., "Nanostructured PdO thin film from Langmuir-Blodgett Precursor for room temperature H₂ gas sensing", *ACS Applied Materials & Interfaces* 2016 8 (26), pp. 16997-17003.
- [137] O.N. Oliveira Jr., "Langmuir-Blodgett films – properties and possible applications", *Brazilian Journal of Physics*, vol. 22, no. 2, June. 1992.
- [138] N. Hardy, "Thin film deposition by thermal evaporation", *Semicore Equipment Inc.*, Sept. 2013.
- [139] R.J. Martin-Palma, A. Lakhtakia, "Vapor-Deposition Techniques", in *Engineered Biomimicry*, R.J. Martin-Palma, A. Lakhtakia, Eds., chap. 15, 2013, pp. 383-398.
- [140] M.B. Rahmani, S.H. Keshmiri, J. Yua et al., "Gas sensing properties of thermally evaporated lamellar MoO₃", *Sens. Actuators B, Chem.*, vol. 145, iss. 1, Mar. 2010, pp. 13-19.
- [141] A. Dolittle, "Introduction to Semiconductors and Semiconductor Devices", Lecture notes, *Georgia Institute of Technology*.
- [142] G. Neri, "First Fifty Years of Chemosensitive Gas Sensors", *Chemosensors* 2015, 3(1), 1-20.
- [143] F. Sarf, "Metal oxide gas sensors by nanostructures", in *Gas Sensors*, Sher Bahadur Khan, Ed., Sept. 2019.

- [144] Y.C. Wong, C.A. Bee, A.S.M.A Haseeb et al., "Review-Conducting polymers as chemiresistive gas sensing materials", *Journal of the Electrochemical Society* 167(3):037503.
- [145] A. Ponzoni, C. Baratto, N. Cattabiani, "Metal Oxide Gas Sensors, a Survey of Selectivity Issues Addressed at the SENSOR Lab, Brescia (Italy)", *Sensors* 2017, 17(4), 714.
- [146] H. Nazemi, A. Joseph, J. Park et al., "Advanced micro- and nano-gas sensor technology: a review", *Sensors* 2019, 19(6), 1285.
- [147] L. Francioso, "Chemiresistor gas sensors using semiconductor metal oxides", in *Nanosensors for Chemical and Biological Applications Sensing with Nanotubes, Nanowires and Nanoparticles*, Eds., K.C. Honeychurch, 2014, pp. 101-124.
- [148] A. Kolmakov, D. O. Klenov, Y. Lilach et al., "Enhanced Gas Sensing by Individual SnO₂ Nanowires and Nanobelts Functionalized with Pd Catalyst Particles", *Nano Lett.*, vol. 5, iss. 4, Apr. 2005, pp. 667-73.
- [149] V.T. Duoc, D.T.T. Le, N. D. Hoa et al., "New Design of ZnO Nanorod- and Nanowire-Based NO₂ Room-Temperature Sensors Prepared by Hydrothermal Method", *Journal of Nanomaterials*, Apr. 2019.
- [150] T. Gao, T. Wang, "Synthesis and properties of multipod-shaped ZnO nanorods for gas-sensor applications", *Appl. Phys. A*, vol. 80, iss. 7, Apr. 2005, pp. 1451–1454.
- [151] H. Gao, Q. Yu, K. Chen et al., "Ultrasensitive gas sensor based on hollow tungsten trioxide-nickel oxide (WO₃-NiO) nanoflowers for fast and selective xylene detection", *Journal of Colloid and Interface Science*, 06 Oct 2018, 535:458-468.
- [152] W. Guo, T. Liu, R. Sun, "Hollow, porous, and yttrium functionalized ZnO nanospheres with enhanced gas-sensing performances", *Sens. Actuators B, Chem.*, vol. 178, Mar. 2013, pp. 53-62.
- [153] L. Wang, Z. Lou, T. Fei et al., "Templating synthesis of ZnO hollow nanospheres loaded with Au nanoparticles and their enhanced gas sensing properties", *Journal of Materials Chemistry*, iss. 11, Dec. 2012.
- [154] D. Han, L. Zhai, F. Gu, "Highly sensitive NO₂ gas sensors of ppb-level detection based on In₂O₃ nanobricks at low temperature", *Sens. Actuators B, Chem.*, vol. 262, Jun. 2018, pp. 655-663.
- [155] L. Shi, A. J.T. Naik, J. B.M. Goodall et al., "Highly Sensitive ZnO Nanorod- and Nanoprism-Based NO₂ Gas Sensors: Size and Shape Control Using a Continuous Hydrothermal Pilot Plant", *Langmuir*, vol. 29, iss. 33, Jul. 2013, pp. 10603-10609.

- [156] N.D. Dien, D.D. Vuong, D.C. Nguyen, "Hydrothermal synthesis and NH₃ gas sensing property of WO₃ nanorods at low temperature", *Advances in Natural Sciences: Nanoscience and Nanotechnology* 6(3), Aug. 2015.
- [157] W. Zeng, T. Liu and Z. Wang, "Enhanced gas sensing properties by SnO₂ nanosphere functionalized TiO₂ nanobelts", *Journal of Materials Chemistry*, iss. 8, 2012.
- [158] M. Yang, Y. Wang, L. Dong et al., "Gas sensors based on chemically reduced holey grapheme oxide thin films", *Nanoscale Research Letters* 14, 218 (2019).
- [159] S. Kumar, V. Pavelyev, P. Mishra et al., "Thin film chemiresistive gas sensor on single-walled carbon nanotubes functionalized with polyethylenimine (PEI) for NO₂ gas sensing", *Bulletin of Materials Science* 43(1), 2020.
- [160] T. Lin, X. Lv, Z. Hu, A. Xu, "Semiconductor metal oxides as chemoresistive sensors for detecting volatile organic compounds", *Sensors* 2019, 19(2), 233.
- [161] A. Staerz, S. Somacescu, M. Epifani et al., "WO₃ Based Gas Sensors", *Proceedings* 2018, 2(13), 826.
- [162] YF Sun, SB Liu, FL Meng et al., "Metal oxide nanostructures and their gas sensing properties: a review", *Sensors*, vol.12, Dec. 2012, pp. 2610-2631.
- [163] N. Gaikwad, S. Bhanoth, P. V. More, "Chemically designed Pt/PPy nano-composite for effective LPG gas sensor", *Nanoscale*, iss. 5, 2014.
- [164] H.A. Khorami, A. Eghbali, M. Keyanpour-Rad, "Ammonia sensing properties of (SnO₂-ZnO)/polypyrrole coaxial nanocables", *Journal of Materials Science* 49(2), Jan. 2014.
- [165] J. Zhang, X. Liu, G. Neri, "Nanostructured materials for room-temperature gas sensors", *Advanced Materials*, vol. 28, iss. Feb. 2016, pp. 795-831.
- [166] A. M. S. G. Azad, L. D. L. Birkfeld, and S. A. K. S. Akbar Goto, "Behavior of a new ZrO₂-MoO₃ sensor for carbon monoxide detection," *J. Electrochem. Soc.*, vol. 139, no. 10, pp. 2913–2920, 1992.
- [167] D. N. Jayadev, S. R. Sainkarz, R. N. Karekary et al., "A thick-film hydrogen sensor based on a ZnO:MoO₃ formulation," *Meas. Sci. Technol.*, vol. 9, no. 3, p. 360, 1998.
- [168] T. Lin, X. Lv, S. Li et al., "The morphologies of the semiconductor oxides and their gas-sensing properties", *Sensors (Basel)* 17(12):2779, Dec. 2017.
- [169] A. Gurlo, "Interplay between O₂ and SnO₂: oxygen ionosorption and spectroscopic evidence for adsorbed oxygen", *ChemPhysChem*, vol. 7, iss. 10, Oct. 2006, pp. 2041-52,
- [170] E.W. Arnold III and S. Sundaresan, "The role of lattice oxygen in the dynamic behavior of oxide catalysts", *Chemical Engineering Communications*, vol. 58, iss. 1-6,

Apr. 2007, pp. 213-230.

- [171] E. Spain, A. Venkatanarayanan, “Review of physical principles of sensing and types of sensing materials”, in *Comprehensive Materials Processing*, S. Hashmi et al., Eds., vol. 13, 2014, pp. 5-46.
- [172] A. P Mouritz, “Strengthening of metal alloys” in *Introduction to Aerospace Materials*, A.P. Mouritz, Ed., chap. 4, 2012, pp. 57-90.
- [173] D. A. Dellasala and M.I. Goldstein, “Introduction: Contaminants”, in *Encyclopedia of the Anthropocene*, D.A. Dellasala and M.I. Goldstein, Eds., vol. 5, 2018, pp. 15-16.
- [174] G. E. Collins, L.J. Buckley, “Conductive polymer-coated fabrics for chemical sensing”, *Synthetic Metals* 78, 93–101 (1996).
- [175] “Theoretical background of gas sensors”, *shodhganga.inflibnet.ac.in*, chap. 2.
- [176] V. E. Bochenkov, G. B. Sergeev, “Sensitivity, Selectivity, and Stability of Gas-Sensitive Metal-Oxide Nanostructures”, chap. 2, Laboratory of Low Temperature Chemistry, Department of Chemistry, M. V. Lomonosov Moscow State University, Moscow 119991, Russia.
- [177] J. Zhao, LH Huo, “Alcohols and acetone sensing properties of SnO₂ thin films deposited by dip-coating”, *Sens. Actuators B: Chem.* 115(1):460-464, May 2006.
- [178] S. Chang et al., “Highly sensitive ZnO nanowire acetone vapor sensor with Au adsorption,” *IEEE Transactions on Nanotechnology*, vol. 7, no. 6, pp. 754-759, Nov. 2008.
- [179] C. Sankar, V. Ponnuswamy, M. Manickama et al., “Structural, morphological, optical and gas sensing properties of pure and Ru doped SnO₂ thin films by nebulizer spray pyrolysis technique” *Applied Surface Science*, vol. 349, Sept. 2015, pp. 931-939.
- [180] C. Wang, L. Yin, L. Zhang et al., “Metal oxide gas sensors: sensitivity and influencing factors”, *Sensors* 2010, 10(3), 2088-2106.
- [181] Sandra H. Skjærv, Espen T. Wefring, Silje K. Nesdal et al., “Interstitial oxygen as a source of p-type conductivity in hexagonal manganites”, *Nature Communications* 7:13745, Dec. 2016.
- [182] M. Pfeifer, “Material properties and materials science” in *Materials Enabled Design*, chap. 4, 2009, pp. 59-114.
- [183] S.L. Patil, M.A. Chougule, S.G. Pawar et al., “Effect of Camphor Sulfonic Acid Doping on Structural, Morphological, Optical and Electrical Transport Properties on Polyaniline-ZnO Nanocomposites”, *Soft Nanoscience Letters* 02(03), Jan. 2012.
- [184] K. Yim, Y. Youn, M. Lee et al., “Computational discovery of p-type transparent oxide

- semiconductors using hydrogen descriptor”, *npj Computational Materials* 4, 17 (2018).
- [185] Z. Yuan, F. Meng, J. Zhang et al., “Approaches to enhancing gas sensing properties: A review”, *Sensors (Basel)*, 19(7): 1495, Apr. 2019.
- [186] A. Sharma, M. Tomar and V. Gupta, “Low temperature operating SnO₂ thin film sensor loaded with WO₃ micro-discs with enhanced response for NO₂ gas”, *Sens. Actuators B: Chem.*, vol. 161, iss. 1, Jan. 2012, pp. 1114–1118.
- [187] K.T. Alali, Z. Lu, H. Zhang et al., “P-p heterojunction CuO/CuCo₂O₄ nanotubes synthesized via electrospinning technology for detecting n-propanol gas at room temperature”, *Inorganic Chemistry Frontiers* 4(7), May 2017.
- [188] H. Tai, X. Xu, Z. Ye et al., “P-P heterojunction sensor of self-assembled polyaniline nano-thin film/microstructure silicon array for NH₃ detection”, *Chemical Physics Letters*, vol. 621, pp. 58-64.
- [189] J. Gong, Y. Li, Z. Hu, “Ultrasensitive NH₃ gas sensor from polyaniline nanograin enched TiO₂ fibres”, *The Journal of Physical Chemistry C* 2010 114 (21), 9970-9974.
- [190] H. Huang, H. Gong, C.L. Chow et al., “Low temperature growth of SnO₂ nanorod arrays and tunable n-p-n sensing response of a ZnO/SnO₂ heterojunction for exclusive hydrogen sensors”, *Advanced Functional Materials* 2011, 21, 2680–2686.
- [191] S.G. Pawar, S.L. Patil, M.A. Chougule et al., “Fabrication of polyaniline/TiO₂ nanocomposite ammonia vapor sensor”, *Sensors and Transducers*, vol. 125, iss. 2, Feb. 2011.
- [192] C. Zhu, X. Cheng, X. Dong et al., “Enhanced sub-ppm NH₃ gas sensing performance of PANI/TiO₂ nanocomposites at room temperature”, *Frontiers in Chemistry*, 6:493, Oct 2018.
- [193] SJ Jung, H. Yanagida, “The characterization of a CuO/ZnO heterocontact-type gas sensor having selectivity for CO gas”, *Sens. Actuators B: Chem.*, vol. 37, iss. 1-2, Nov. 1996, pp. 55-60.
- [194] Q. Wang, X. Dong, Z. Pang, “Ammonia sensing behaviors of TiO₂-PANI/PA6 composite nanofibres”, *Sensors* 2012, 12, 17046-17057.
- [195] S.T. Navale, G.D. Khuspe, M.A. Chougule et al., “CSA doped Ppy/ ∞ -Fe₂O₃ hybrid nanocomposites as NO₂ sensors”, *RSC Advances*, iss. 53, 2014. -- dupl
- [196] A. Dhotel, Z. Chen, L. Delbreilh, “Molecular motions in functional self-assembled nanostructures”, *International Journal of Molecular Sciences*, 14(2): 2303–2333, Feb. 2013.
- [197] Q. Dong, L. Zhu, H. Wan et al., “Polyaniline-Poly (o-methoxyaniline) composite

- films as supports of Pt-Ru nanoparticles for formic acid electro-oxidation”, *Int. J. Electrochem. Sci.*, 9 2014.
- [198] S.R. Morrison, “Selectivity in semiconductor gas sensors”, *Sens. Actuators B: Chem.*, vol. 12, pp. 425, 1987.
- [199] R.C. Neumann Jr., “Substituent Effects”, in *Conjugation, Electronic Effects, Carbonyl Groups in Organic Chemistry Textbook*, University of California, Riverside, 2013.
- [200] G. Horowitz, “Organic field effect transistors”, *Advanced Materials*, vol. 10, iss. 5, Mar. 1998, pp. 365-377.
- [201] K. Kudo, M. Yamashita and T. Morizumi, “Field effect measurement of organic dye films”, *Japanese Journal of Applied Physics*, vol. 23, part 1, no. 1, 130 (1984).
- [202] H. Koezuka, A. Tsumura and T. Ando, “Field-effect transistor with polythiophene thin film”, *Synthetic Metals*, vol. 18, iss 1-3, Feb. 1987, pp. 699-704.
- [203] Y. Yuan, G. Giri and A. Ayzher, “Ultra-high mobility transparent organic thin film transistors grown by an off-centre spin-coating method”, *Nature Communications* 5, 3005, Jan. 2014.
- [204] J. Takeya, M. Yamagishi, Y. Tominari et al., “Very high-mobility organic single-crystal transistors with in-crystal conduction channels”, *Applied Physics Letters* 90, 102120 (2007).
- [205] E. J. Meijeri, D. M. DE Leeuw, S. Setayesh, et al., “Solution-processed ambipolar organic field-effect transistors and inverters”, *Nature Materials*, vol. 2, Oct. 2003.
- [206] M. Shkunov, R. Mimms, M. Heeney et al., “Ambipolar Field-Effect Transistors Based on Solution-Processable Blends of Thieno[2,3-b]thiophene Terthiophene Polymer and Methanofullerenes”, *Advanced Materials*, vol. 17, iss. 21, Nov. 2005, pp. 2608-2612.
- [207] X. Xu, T. Xiao, X. Gu et al., “Solution-Processed Ambipolar Organic Thin-Film Transistors by Blending p- and n-Type Semiconductors: Solid Solution versus Microphase Separation”, *ACS Applied Materials & Interfaces* 2015 7 (51), 28019-28026.
- [208] J. Yuan, Y. Zhang, L. Zhao et al., “Fused Benzothiadiazole: A Building Block for n-Type Organic Acceptor to Achieve High-Performance Organic Solar Cells”, *Advanced Materials*, vol. 31, iss. 17, Apr. 2019.
- [209] J.E. Anthony, A. Facchetti, M. Heeney et al., “n-type organic semiconductors in organic electronics”, *Advanced Materials*, vol. 22, 2010, pp. 3876-3892.
- [210] E.Y. Park, J.S. Park, TD Kim et al., “High-performance n-type organic field-effect transistors fabricated by ink-jet printing using C60 derivative”, *Organic Electronics*, vol. 10, iss. 5, Aug. 2009, pp. 1028-1031.

- [211] J. Yang, Z. Zhao, S. Wang, “Insight into High-Performance Conjugated Polymers for Organic Field-Effect Transistors”, *Chem*, vol. 4, iss. 12, Dec. 2018, pp. 2748-2785.
- [212] H. Klauk, “Organic thin-film transistors”, *Chemical Society Reviews*, iss. 7, 2010.
- [213] J.W. Ward, Z.A. Lamport, O.D. Jurchescu, “Versatile Organic Transistors by Solution Processing”, *ChemPhysChem*, vol. 16, iss. 16, Apr. 2015, pp. 1118-1132.
- [214] C. Zhang, P. Chen and W. Hu, “Organic field-effect transistor-based gas sensors”, *Chemical Society Reviews*, 2015, 44, 2087.
- [215] A. Lv, Y. Pan and L. Chi, “Gas Sensors Based on Polymer Field-Effect Transistors”, *Sensors (Basel)*, 17(1): 213, Jan. 2017.
- [216] G. Horowitz, R. Hajlaoui and F. Kouki, “An analytical model for the organic field-effect transistor in the depletion mode. Application to sexithiophene films and single crystals”, *The European Physical Journal Applied Physics* 1(03):361 – 367, Mar. 1998.
- [217] R.L. Boylestad, L. Nashelsky, “Electronic Devices and Circuit Theory”, *Pearson*, ninth edition, *PHI*, 2006.
- [218] W. Wang, S. K. Hwang, K. L. Kim et al., “Highly reliable top-gated thin-film transistor memory with semiconducting, tunneling, charge-trapping and blocking highlayers all of flexible polymers”, *ACS Appl. Mater. Interfaces*, vol. 7, no. 20, pp. 10957-10965, May 2015.
- [219] J. Han, W. Wang, J. Ying and W. Xie, “Ambipolar organic thin-film transistor-based nano-floating-gate nonvolatile memory”, *Appl. Phys. Lett.*, 104, 013302 (2014).
- [220] S. Mandal, G. Dell’Erba, A. Luzio et al., “Fully-printed all-polymer bendable and highly transparent complementary logic circuits”, *Organic Electronics*, vol. 20, pp. 132-141, May 2015.
- [221] G. H. Gelinck, H. E. A. Huitema, E. van Veenendaal et al., “Flexible active-matrix displays and shift registers based on solution-processed organic transistors”, *Nature Materials*, vol. 3, pp. 106-110, Feb. 2004.
- [222] X. Tao, V. Konkar, “Textile electronic circuits based on organic fibrous transistors” in *Smart Textiles and their Applications*, V. Konkar, Ed., chap. 25, 2016, pp. 569-598.
- [223] C. Ruiz, E.M. Garcia-Frutos, G. Hennrich, “Organic Semiconductors toward Electronic Devices: High Mobility and Easy Processability”, *Journal of Physical Chemistry Letters* 2012, 3, 11, 1428–1436.
- [224] G. Horowitz, M.E. Hajlaoui, “Grain size dependent mobility in polycrystalline organic field-effect transistors”, *Synthetic Metals* May 2001, 122(1):185-189.
- [225] A. Dodabalapur, L. Torsi, H.E. Katz, “Organic Transistors: Two dimensional

transport and improved electrical characteristics”, *Science*, vol. 268, iss. 5208, Apr. 1995, pp. 270-271.

[226] S.K. Parka, T.N. Jackson, “High mobility solution processed 6,13-bis(triisopropylsilylethynyl) pentacene organic thin film transistors”, *Applied Physics Letters* 91, 063514 (2007).

[227] O.D. Jurchescu, J. Baas and T.T.M. Palstra, “Effect of impurities on the mobility of single crystal pentacene”, *Applied Physics Letters*, vol. 84, no. 16, Apr. 2004.

[228] S. Liu, S.C.B. Mannsfeld, W.M. Wang, “Patterning of α -Sexithiophene Single Crystals with Precisely Controlled Sizes and Shapes”, *Chemistry of Materials* 2009 21 (1), 15-17.

[229] G. Horowitz, M.E. Hajlaoui, “Mobility in Polycrystalline Oligothiophene Field-Effect Transistors Dependent on Grain Size”, *Advanced Materials*, vol. 12, iss. 14, Jul. 2000, pp. 1046-1050.

[230] Y. Takatera, H. Kajii and Y. Ohmori, “Solution-processed top-gate-type n-channel organic field-effect transistors with silver-nanowire source/drain electrodes fabricated on polymer substrate,” 2014 *21st International Workshop on Active-Matrix Flatpanel Displays and Devices (AM-FPD)*, Kyoto, 2014, pp. 211-212.

[231] D. Fichou, G. Horowitz, “Molecular and polymer semiconductors, conductors, and superconductors: overview”, in *Encyclopedia of Materials: Science and Technology*, K.H.J. Buschow et al., Eds.2001.

[232] D. Shukla, S. F. Nelson, D. C. Freeman et al., “Thin-film morphology control in naphthalene-diimide-based semiconductors: High mobility n-Type semiconductor for organic thin-film transistors”, *Chem. Mater.*, vol. 20, no. 24, pp. 7486-7491, Dec. 2008.

[233] L. Ma, Y. Guo, Y. Wen et al., “High-mobility air stable bottom-contact n-channel thin film transistors based on N,N'-ditridecyl perylene diimide”, *Applied Physics Letters*, vol. 103, no. 20, pp. 203303, Nov. 2013.

[234] S.K. Park, J.H. Kim, SJ yoon, “High-Performance n-Type Organic Transistor with a Solution-Processed and Exfoliation-Transferred Two-Dimensional Crystalline Layered Film”, *Chem. Mater.* 2012, 24, 16, 3263–3268.

[235] L. Xiang, J. Ying, W. Wang and W. Xie, "High Mobility n-Channel Organic Field-Effect Transistor Based a Tetratetracontane Interfacial Layer on Gate Dielectrics," *IEEE Electron Device Letters*, vol. 37, no. 12, pp. 1632-1635, Dec. 2016.

[236] S. Lan, Y. Yan, H. Yang, “Improving device performance of n-type organic field-effect transistors via doping with a p-type organic semiconductor”, *Journal of Materials*

Chemistry C, iss 15, 2019.

- [237] Fadlioni, H. Isyanto and P. G. Chamdareno, "The comparison of organic field effect transistor (OFET) structures," *2017 2nd International Conference on Frontiers of Sensors Technologies (ICFST)*, Shenzhen, 2017, pp. 6-9.
- [238] K. Kim, M.K. Kim, H.S. Kang, "New growth method of rubrene single crystal for organic field-effect transistor", *Synthetic Metals*, vol. 157, iss. 10-12, Jun. 2007, pp. 481-484.
- [239] Y. Kim, TK An, J. Kim et al., "A composite of a graphene oxide derivative as a novel sensing layer in an organic field-effect transistor", *Journal of Materials Chemistry C* 2(23), May 2014.
- [240] Z. Cai, F. Li, M. Rong et al., "Novel Nanomaterials for Biomedical, Environmental and Energy Applications", in *Micro and Nano Technologies*, 2019, pp. 1-36.
- [241] H. Fan, S. Han, Z. Song et al., "Organic field-effect transistor gas sensor based on GO/PMMA hybrid dielectric for the enhancement of sensitivity and selectivity to ammonia", *Organic Electronics*, vol. 67, Apr. 2019, pp. 247-252.
- [242] S. Han, Z. Yang, Z. Li, "Improved Room Temperature NO₂ Sensing Performance of Organic Field-Effect Transistor by Directly Blending a Hole-Transporting/Electron-Blocking Polymer into the Active Layer", *ACS Applied Materials & Interfaces* 2018 10 (44), 38280-38286.
- [243] H. Tang, Y. Li, R. Sokolovskij et al., "Ultra-High Sensitive NO₂ Gas Sensor Based on Tunable Polarity Transport in CVD-WS₂/IGZO p-N Heterojunction", *ACS Applied Materials & Interfaces* 2019 11 (43), 40850-40859.
- [244] M. Mirza, J. Wang, L. Wang, "Response enhancement mechanism of NO₂ gas sensing in ultrathin pentacene field-effect transistors", *Organic Electronics* 24(2015) 96-100.
- [245] Z. Yang, S. Han, Y. Liua, "Investigation of the atmosphere influence on device characteristics and NO₂ sensing performance of organic field-effect transistors consisting of polymer bulk heterojunction", *Organic Electronics*, vol. 62, Nov. 2018, pp. 114-120.
- [246] S. Han, J. Cheng, H. Fan, "Achievement of High-Response Organic Field-Effect Transistor NO₂ Sensor by Using the Synergistic Effect of ZnO/PMMA Hybrid Dielectric and CuPc/Pentacene Heterojunction", *Sensors* 2016, 16(10), 1763.
- [247] H. Fan, W. Shi, X. Yu et al., "High performance nitrogen dioxide sensor based on organic field-effect transistor utilizing ultrathin CuPc/PTCDI-C8 heterojunction", *Synthetic Metals*, vol. 11, Jan. 2016, pp. 161-166.
- [248] R. Sonker and B.C.Yadav, "Development of PANi-Fe₂O₃ nanocomposite thin film based NO₂ sensor", *Journal of the Taiwan Institute of Chemical Engineers*, vol. 77, Aug.

2017, pp. 276-281.

- [249] J. Lu, K. Moon and C. P. Wong, "High-k Polymer Nanocomposites as Gate Dielectrics for Organic Electronics Applications," 2007 *Proceedings 57th Electronic Components and Technology Conference, Reno, NV*, pp. 453-457.
- [250] R.R. Navan, K. Prashanthi, M.S. Baghini, "Solution processed photopatternable high-k nanocomposite gate dielectric for low voltage organic field effect transistors", *Microelectronic Engineering*, vol. 96, Aug. 2012, pp. 92-95.
- [251] X. H. Zhang, B. Domercq, X. Wang, "High-performance pentacene field-effect transistors using Al₂O₃ gate dielectrics prepared by atomic layer deposition (ALD)", *Organic Electronics* 8(6):718-726, Dec. 2007.
- [252] J. Tardy, M. Erouel, A.L. Deman et al., "Organic thin film transistors with HfO₂ high-k gate dielectric grown by anodic oxidation or deposited by sol-gel", *Microelectronics Reliability*, vol. 47, iss. 2-3, Mar. 2007, pp. 372-377.
- [253] C. Bartic, H.V. Jansen, A. Campitelli et al., "Ta₂O₅ as gate dielectric material for low-voltage organic thin-film transistors, *Organic Electronics*, vol. 3, iss. 2, Jun. 2002, pp. 65-72.
- [254] S. Faraji, T. Hashimoto, M.L. Turner et al., "Solution-processed nanocomposite dielectrics for low voltage operated OFETs", *Organic Electronics*, vol. 17, Feb. 2015, pp. 178-183.
- [255] J. Robertson, "High dielectric constant oxides", *Eur. Phys. J. Appl. Phys.* 28, 265–291 (2004).
- [256] Y.R. Su, W.G. Xie, Y. Li et al., "A low-temperature, solution-processed high-k dielectric for low-voltage, high-performance organic field-effect transistors (OFETs)", *J. Phys. D: Appl. Phys.* 46 (2013) 095105 (8pp).
- [257] W. Shi, Y. Zheng and J. Yu. "Polymer Dielectric in Organic Field-Effect Transistor" in *Properties and Applications of Polymer Dielectrics*, Ed., Boxue Du, IntechOpen, May 2017.
- [258] L. Shang, M. Liu, D. Tu et al., "Low-Voltage Organic Field-Effect Transistor With PMMA/ZrO₂ Bilayer Dielectric", *IEEE Transactions On Electron Devices*, vol. 56, no. 3, Apr. 2009, pp. 370-376.
- [259] C. G. Alvarado-Beltrán, J. L. Almaral-Sánchez, I. Mejia et al., "Sol-Gel PMMA-ZrO₂ Hybrid Layers as Gate Dielectric for Low-Temperature ZnO-Based Thin-Film Transistors", *ACS Omega* 2017 2 (10), 6968-6974.
- [260] G. Houin, F. Duez, L. Garcia et al., "High performance low voltage organic field effect transistors on plastic substrate for amplifier circuits", *Organic Field-Effect Transistors*

XV, 2016, San Diego, California (pp. 1-6), [99430H] (Proceedings of SPIE; Vol. 9943).

[261] J. Veres, S.D. Ogier, S.W. Leeming et al., “Low-k insulators as the choice of dielectrics in organic field effect transistors”, *Advanced Functional Materials* 13(3):199 – 204.

[262] J. Zaumseil and H. Sirringhaus, “Electron and Ambipolar Transport in Organic Field-Effect Transistors”, *Chemical Review* 2007, 107, 4, 1296–1323.

[263] X. Hou, S.C. Ng and J. Zhang, “Polymer nanocomposite dielectric based on P(VDF-TrFE)/PMMA/BaTiO₃ for TIPs-pentacene OFETs”, *Organic Electronics*, vol. 17, Feb. 2015, pp. 247-252.

[264] B.B. Patowary, S. Laskar, R. Narzary, “Fabrication and electrical characterization of Organic Field-Effect Transistor based on CSA doped PANi-Ta₂O₅ nanocomposite”, *ADB U Journal of Engineering Technology*, vol. 9, iss. 1, Jun. 2020.

[265] J. Puigdollers, C. Voz, I. Martin et al., “Pentacene thin-film transistors on polymeric gate dielectric: Device fabrication and electrical characterization”, *Journal of Non-Crystalline Solids* 338(1): 617-621, May 2004.

[266] A.L. Deman, J. Tardy, “PMMA-Ta₂O₅ gate dielectric for low operating voltage organic FETs”, *Organic Electronics*, vol. 6, iss. 2, Apr.2005, pp. 78-84.

[267] S. Jung, M. Albariqi, G. Gruntz et al., “A TIPS-TPDO-tetraCN-Based n-Type Organic Field-Effect Transistor with a Cross-linked PMMA Polymer Gate Dielectric”, *ACS Applied Materials & Interfaces* 2016 8 (23), 14701-14708.

[268] X. Li, W. Shi, X. Yu et al., “Performance improvement of organic field-effect transistor based nitrogen dioxide gas sensor using biocompatible PMMA/silk fibroin bilayer dielectric”, *Journal of Materials Science Materials in Electronics* 26(10):7948-7954.

[269] K.P. Goetz and O.D. Jurchescu, “Conductivity measurements of organic materials using field-effect transistors (FETs) and space-charge-limited current (SCLC) techniques”, in *Handbook of Organic Materials for Electronic and Photonic Devices*, Ed., O. Ostroverkhova, 2nd Edition, 2019, pp. 453-487.

[270] L. Torsi, M. Magliulo, K. Manolia et al., “Organic field-effect transistor sensors: a tutorial review”, *Chemical Society Reviews*, iss. 22, 2013.

[271] M. Kus, T. Y. Alic, C. Kirbiyik, “Synthesis of Nanoparticles”, in *Handbook of Nanomaterials for Industrial Applications*, Ed., C.M. Hussain, chap. 24, 2018, pp. 392-429.

[272] G. Horowitz, R. Hajlaoui, H. Bouchriha et al., “The Concept of “Threshold Voltage” in Organic Field-Effect Transistors”, *Advanced Materials*, vol. 10, iss. 12, Aug. 1998, pp. 923-927.

- [273] X. Wang, X. Zhang, L. Sun et al., "High electrical conductivity and carrier mobility in oCVD PEDOT thin films by engineered crystallization and acid treatment", *Science Advances* 4(9):eaat5780, Aug. 2018.
- [274] J. Yang, Z. Zhao, S. Wang et al., "Insight into high-performance conjugated polymers for organic field- effect transistors", *Chem*, vol. 4, iss 12, Dec. 2018, 2748-2785.
- [275] Q. Li, J. Zhao, Y. Huang et al., "Subthreshold-Operated Low-Voltage Organic Field-Effect Transistor for Ion-Sensing System of High Transduction Sensitivity," *IEEE Sensors Letters*, vol. 2, no. 4, Dec. 2018, pp. 1-4.
- [276] R. Li, Y. Zhou, M. Sun et al., "Influence of charge carriers concentration and mobility on the gas sensing behavior of tin dioxide thin films", *Coatings* 2019, 9(9), 591.
- [277] P. Toman, M. Mensik, W. Bartkowiakb et al., "Modelling of the charge carrier mobility in disordered linear polymer materials", *Physical chemistry Chemical Physics*, iss. 11, 2017.
- [278] M. Yi, J. Guo, W. Li et al., "High-mobility flexible pentacene-based organic field-effect transistors with PMMA/PVP double gate insulator layers and the investigation on their mechanical flexibility and thermal stability", *RSC advances* 5(115), Nov. 2015.
- [279] P. J. Diemer, Z. A. Lamport, Y. Mei et al., "Quantative analysis of the density of trap states at the semiconductot-dielectric interface in organic field-effect transistors", *Applied Physics Letters* 107(10), Sept. 2015.
